







Gills Creek A (March 23, 2016 -- April 27, 2016)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	1.8	3.2	2.2	2.3	0.3
LOCATION:	Forest Drive Bridge	TEMPERATURE (°F):	61	78	67	67	3
ADDRESS:	4840 Forest Drive, Columbia, SC 29206	TURBIDITY (NTU):	4	251	9	12	12
COORDINATES:	34.019826, -80.963566	pH:	6.3	6.7	6.6	6.6	0.1
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.041	0.073	0.046	0.046	0.002
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	7.2	9.5	8.7	8.6	0.4
APPROX. DRAINAGE AREA:	48 square miles						
SPATIAL LOCATION:	Most upstream site						
TOTAL NO. STORMS OVER 0.1 INCH:	6						
MAX. DAILY RAINFALL:	1.4 inches						
TOTAL RAINFALL (FOR PERIOD):	3.5 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek A (March 23, 2016 -- April 27, 2016)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals

Sampled Data:







Analyte (units)	Sample 1		Sample 2		Sample 3		Sample 4	
	4/1/2016		4/1/2016		4/1/2016		4/1/2016	
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)	8:27	2,582	9:36	3,570	10:27	2,934	11:26	2,034
Total Suspended Solids (mg/L)	8:29	44.4	9:38	66	10:29	47.2	11:28	32
Total Phosphorus (mg/L)	8:27	0.087	9:36	0.1	10:27	0.077	11:26	0.054
Total Nitrogen (mg/L)	8:27	0.9	9:36	1	10:27	0.84	11:26	0.58

Notes:

Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

Gills Creek B (March 23, 2016 -- April 27, 2016)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	3.4	5.1	3.6	3.8	0.3
LOCATION:	Devine Street bridge	TEMPERATURE (°F):	61	78	68	68	4
ADDRESS:	4716 Devine Street Columbia, SC 29209	TURBIDITY (NTU):	7	89	16	17	6
COORDINATES:	33.989656, -80.97433	pH:	6.3	6.7	6.5	6.5	0.1
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.043	0.062	0.054	0.054	0.003
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	6.5	9.2	8.0	7.9	0.6
APPROX. DRAINAGE AREA:	59 square miles						
SPATIAL LOCATION:	Middle site						
TOTAL NO. STORMS OVER 0.1 INCH:	7						
MAX. DAILY RAINFALL:	1.3 inches						
TOTAL RAINFALL (FOR PERIOD):	3.6 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek B (March 23, 2016 -- April 27, 2016)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals.
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals.
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals.
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals.
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals.

Sampled Data:







Analyte (units)	Sample 1		Sample 2		Sample 3		Sample 4	
	4/12/2016							
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)	12:06	148						
Total Suspended Solids (mg/L)	12:06	20.6						
Total Phosphorus (mg/L)								
Total Nitrogen (mg/L)								

Notes:

Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

Gills Creek C (March 23, 2016 -- April 27, 2016)

PARAMETER	DESCRIPTION	CONTINUOUS WATER QUALITY PARAMETERS:	SUMMARY STATISTICS				
			MINIMUM OBSERVED	MAXIMUM OBSERVED	MEDIAN OBSERVED	MEAN OBSERVED	STANDARD DEVIATION
STREAM NAME:	Gills Creek	STAGE (FT):	0.5	3.2	1.0	1.3	0.6
LOCATION:	Bluff Road bridge	TEMPERATURE (°F):	59	72	66	66	3
ADDRESS:	3009 Bluff Rd. Columbia, SC 29209	TURBIDITY (NTU):	5	196	10	11	10
COORDINATES:	33.948043, -80.98889	pH:	6.2	6.4	6.3	6.3	0.0
TMDL/IMPAIRMENT:	Fecal & Dissolved Oxygen	SPECIFIC CONDUCTIVITY (mS/cm):	0.053	0.071	0.061	0.060	0.004
NEIGHBORING LANDUSE:	Residential and commercial	DISSOLVED OXYGEN (mg/L):	5.2	8.6	6.8	6.8	0.7
APPROX. DRAINAGE AREA:	64 square miles						
SPATIAL LOCATION:	Most downstream site						
TOTAL NO. STORMS OVER 0.1 INCH:	7						
MAX. DAILY RAINFALL:	1.35 inches						
TOTAL RAINFALL (FOR PERIOD):	4.0 inches						



Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors

**Continuous Water Quality
Monitoring Periodic Report**

Gills Creek C (March 23, 2016 -- April 27, 2016)

Explanation of Statistics:

MINIMUM OBSERVED	The minimum of the values recorded by the datasonde in 15 minute intervals.
MAXIMUM OBSERVED	The maximum of the values recorded by the datasonde in 15 minute intervals.
MEDIAN OBSERVED	The median of all the values recorded by the datasonde in 15 minute intervals.
MEAN OBSERVED	The average of all the values recorded by the datasonde in 15 minute intervals.
STANDARD DEVIATION	The standard deviation of all the values recorded by the datasonde in 15 minute intervals.

Sampled Data:

Analyte (units)	Sample 1		Sample 2		Sample 3		Sample 4	
	4/12/2016							
	Time	Results	Time	Results	Time	Results	Time	Results
<i>Escherichia coli</i> (MPN/100mL)	12:33	60						
Total Suspended Solids (mg/L)	12:33	4.8						
Total Phosphorus (mg/L)								
Total Nitrogen (mg/L)								

Notes:

Note: Data gaps appear when the sonde is removed for calibration or when the flow depth is below the sensors